U.S. Serial No.: 10/590,539 Filed: May 30, 2007 (§371)

Page 10

Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the application:

- 1. (Currently Amended) A substantially purified peptide which comprises a sequence selected from the group consisting of:
 - i) an amino acid sequence as provided in SEQ ID NO:4,
 - ii) an amino acid sequence which is at least 80%60% identical to SEQ ID NO:4,
 - iii) an amino acid sequence as provided in SEQ ID NO:5,
 - iv) an amino acid sequence which is at least 80%
 identical to SEQ ID NO:5,
 - v) an amino acid sequence as provided in SEQ ID NO:48,
 - vi) an amino acid sequence which is at least 80%70% identical to SEQ ID NO:48,
 - vii) an amino acid sequence as provided in SEQ ID NO:53,
 - viii) an amino acid sequence which is at least 80%70% identical to SEQ ID NO:53,
 - ix) a biologically active fragment of any one of i) to viii), and
 - x) a precursor comprising the amino acid sequence according to any one of i) to ix),

wherein the peptide, or fragment thereof, exhibits antifungal and/or antibacterial activity.

2-4. (Deleted)

- 5. (Previously Presented) The peptide of claim 1 which is fused to at least one other polypeptide/peptide sequence.
- 6. (Currently Amended) An isolated polynucleotide, the polynucleotide comprising a sequence selected from the group consisting of:

U.S. Serial No.: 10/590,539 Filed: May 30, 2007 (§371)

Page 11

- i) a sequence of nucleotides provided in SEQ ID NO:9 or SEQ ID NO:10;
- ii) a sequence of nucleotides provided in SEQ ID NO:11;
- iii) a sequence of nucleotides provided in SEQ ID NO:12;
- iv) a sequence of nucleotides provided in SEQ ID NO:13;
- v) a sequence of nucleotides provided in SEQ ID NO:50;
- vi) a sequence of nucleotides provided in SEQ ID NO:51;
- vii) a sequence of nucleotides provided in SEQ ID NO:55;
- viii) a sequence of nucleotides provided in SEQ ID NO:56;
- ix) a sequence encoding a peptide comprising a sequence
 selected from the group consisting of: according to
 claim 1;
 - a) an amino acid sequence as provided in SEQ ID NO:4,
 - b) an amino acid sequence which is at least 80% identical to SEQ ID NO:4,
 - c) an amino acid sequence as provided in SEQ ID NO:5,
 - d) an amino acid sequence which is at least 80% identical to SEQ ID NO:5,
 - e) an amino acid sequence as provided in SEQ ID NO:48,
 - f) an amino acid sequence which is at least 80% identical to SEQ ID NO:48,
 - g) an amino acid sequence as provided in SEQ ID NO:53,
 - h) an amino acid sequence which is at least 80% identical to SEQ ID NO:53,
 - a biologically active fragment of any one
 of i) to viii), and
 - j) a precursor comprising the amino acid sequence according to any one of i) to ix);
- x) a sequence of nucleotides which is at least 80% 66%

U.S. Serial No.: 10/590,539 Filed: May 30, 2007 (§371)

Page 12

identical to SEQ ID NO:9, SEQ ID NO:10, or SEQ ID NO:12;

- xi) a sequence of nucleotides which is at least 80%71% identical to SEQ ID NO:11 or SEQ ID NO:13;
- xii) a sequence of nucleotides which is at least 80%62% identical to SEQ ID NO:50, or SEQ ID NO:51; and
- xiii) a sequence of nucleotides which is at least 80%62% identical to SEQ ID NO:55, or SEQ ID NO:56,; and
- xiv) a sequence which hybridizes to any one of (i) to
 (viii) under high stringency conditions.

wherein the polynucleotide encodes a peptide exhibiting antifungal and/or antibacterial activity.

- 7. (Deleted)
- 8. (Previously Presented) A vector comprising the polynucleotide of claim 6.
- 9. (Previously Presented) A host cell comprising the polynucleotide of claim 6.
- 10. (Previously Presented) The host cell of claim 9 which is a plant cell.
- 11. (Currently Amended) A process for preparing a substantially purified peptide which comprises a sequence selected from the group consisting of:
 - i) an amino acid sequence as provided in SEQ ID NO:4,
 - ii) an amino acid sequence which is at least 80%60% identical to SEQ ID NO:4,
 - iii) an amino acid sequence as provided in SEQ ID NO:5,
 - iv) an amino acid sequence which is at least 80%
 identical to SEQ ID NO:5,
 - v) an amino acid sequence as provided in SEQ ID NO:48,

U.S. Serial No.: 10/590,539 Filed: May 30, 2007 (§371)

Page 13

- vi) an amino acid sequence which is at least 80%70% identical to SEQ ID NO:48,
- vii) an amino acid sequence as provided in SEQ ID NO:53,
- viii) an amino acid sequence which is at least 80%70% identical to SEQ ID NO:53,
- ix) a biologically active fragment of any one of i) to viii), and
- x) a precursor comprising the amino acid sequence according to any one of i) to ix),

wherein the peptide, or fragment thereof, exhibits antifungal and/or antibacterial activity, the process cultivating a host cell according to claim 9 under conditions which allow expression of the polynucleotide encoding the peptide, and recovering the expressed peptide as а substantially purified peptide.

- 12. (Previously Presented) A composition comprising a peptide of claim 1, and one or more acceptable carriers.
- 13. Presented) (Previously Α composition comprising а polynucleotide according to claim 6, and one or more acceptable carriers.
- 14. (Previously Presented) A method for killing, or inhibiting the growth and/or reproduction of a fungus and/or a bacteria, the method comprising exposing the fungus and/or bacteria to a peptide of claim 1.
- 15. (Currently Amended) A transgenic plant, the plant having been transformed with a polynucleotide according to claim 6, wherein the plant produces a peptide which comprises a sequence selected from the group consisting of:
 - i) an amino acid sequence as provided in SEQ ID NO:4,
 - ii) an amino acid sequence which is at least 80% 60%

U.S. Serial No.: 10/590,539 Filed: May 30, 2007 (§371)

Page 14

identical to SEQ ID NO:4,

- iii) an amino acid sequence as provided in SEQ ID NO:5,
- iv) an amino acid sequence which is at least 80%
 identical to SEQ ID NO:5,
- v) an amino acid sequence as provided in SEQ ID NO:48,
- vi) an amino acid sequence which is at least 80%70% identical to SEQ ID NO:48,
- vii) an amino acid sequence as provided in SEQ ID NO:53,
- viii) an amino acid sequence which is at least 80%70% identical to SEQ ID NO:53,
- ix) a biologically active fragment of any one of i) to viii), and
- x) a precursor comprising the amino acid sequence according to any one of i) to ix),

wherein the peptide, or fragment thereof, exhibits antifungal and/or antibacterial activity.

- 16. (Previously Presented) A method of controlling fungal and/or bacterial infections of a crop, the method comprising cultivating a crop of transgenic plants of claim 15.
- 17. (Currently Amended) A transgenic non-human animal, the animal having been transformed with a polynucleotide according to claim 6, wherein the animal produces a peptide which comprises a sequence selected from the group consisting of:
 - i) an amino acid sequence as provided in SEQ ID NO:4,
 - ii) an amino acid sequence which is at least 80%60% identical to SEQ ID NO:4,
 - iii) an amino acid sequence as provided in SEQ ID NO:5,
 - iv) an amino acid sequence which is at least 80%
 identical to SEQ ID NO:5,
 - v) an amino acid sequence as provided in SEQ ID NO:48,
 - vi) an amino acid sequence which is at least 80%70% identical to SEQ ID NO:48,

U.S. Serial No.: 10/590,539 Filed: May 30, 2007 (§371)

Page 15

- vii) an amino acid sequence as provided in SEQ ID NO:53,
- viii) an amino acid sequence which is at least 80%70% identical to SEQ ID NO:53,
- ix) a biologically active fragment of any one of i) to viii), and
- x) a precursor comprising the amino acid sequence according to any one of i) to ix),

wherein the peptide, or fragment thereof, exhibits antifungal and/or antibacterial activity.

- 18. (Previously Presented) A method of treating or preventing a fungal and/or bacterial infection in a patient, the method comprising administering to the patient a peptide of claim 1.
- 19. (Deleted)
- 20. (Previously Presented) An antibody which specifically binds a peptide of claim 1.
- 21. (Previously Presented) A method for killing, or inhibiting the growth and/or reproduction of a fungus, the method comprising exposing the fungus to a peptide which comprises a sequence selected from the group consisting of:
 - i) an amino acid sequence comprising residues 25 to 67 of SEQ ID NO:14,
 - ii) an amino acid sequence as provided in SEQ ID NO:17,
 - iii) an amino acid sequence comprising residues 26 to 67
 of SEQ ID NO:15,
 - iv) an amino acid sequence which is at least 75%
 identical to any one of i) to iii),
 - v) an amino acid sequence comprising residues 26 to 66 of SEQ ID NO:18,
 - vi) an amino acid sequence which is at least 50%
 identical to v), and

U.S. Serial No.: 10/590,539 Filed: May 30, 2007 (§371)

Page 16

vii) a biologically active fragment of any one of i) to
vi).

22. (Deleted)

- 23. (Previously Presented) A method of controlling fungal infections of a crop, the method comprising cultivating a crop of transgenic plants which produce a peptide which comprises a sequence selected from the group consisting of:
 - i) an amino acid sequence comprising residues 25 to 67 of SEQ ID NO:14,
 - ii) an amino acid sequence comprising residues 25 to 66 of SEQ ID NO:16,
 - iii) an amino acid sequence as provided in SEQ ID NO:17,
 - iv) an amino acid sequence comprising residues 26 to 67
 of SEQ ID NO:15,
 - v) an amino acid sequence which is at least 75% identical to any one of i) to iv),
 - vi) an amino acid sequence comprising residues 26 to 66 of SEQ ID NO:18,
 - vii) an amino acid sequence which is at least 50%
 identical to vi), and
 - viii) a biologically active fragment of any one of i) to vii).

24. (Deleted)

- 25. (Previously Presented) A method of treating or preventing a fungal infection in a patient, the method comprising administering to the patient a peptide which comprises a sequence selected from the group consisting of:
 - i) an amino acid sequence comprising residues 25 to 67 of SEQ ID NO:14,
 - ii) an amino acid sequence as provided in SEQ ID NO:17,

U.S. Serial No.: 10/590,539 Filed: May 30, 2007 (§371)

Page 17

- iii) an amino acid sequence comprising residues 26 to 67
 of SEQ ID NO:15,
- iv) an amino acid sequence which is at least 75%
 identical to any one of i) to iii),
- v) an amino acid sequence comprising residues 26 to 66 of SEQ ID NO:18,
- vi) an amino acid sequence which is at least 50% identical to v), and
- vii) a biologically active fragment of any one of i) to
 vi).
- 26. (Deleted)
- 27. (Previously Presented) A kit comprising a peptide of claim 1.
- 28. (New) The substantially purified peptide of claim 1 which comprises a sequence selected from the group consisting of:
 - i) an amino acid sequence which is at least 85% identical to SEQ ID NO:4,
 - ii) an amino acid sequence which is at least 85% identical to SEQ ID NO:5,
 - iii) an amino acid sequence which is at least 85% identical to SEQ ID NO:48,
 - iv) an amino acid sequence which is at least 85%
 identical to SEQ ID NO:53,

wherein the peptide exhibits antifungal and/or antibacterial activity.

- 29. (New) The isolated polynucleotide according to claim 6, the polynucleotide comprising a sequence selected from the group consisting of:
 - i) a sequence encoding a peptide comprising a sequence selected from the group consisting of:
 - a) an amino acid sequence which is at least

U.S. Serial No.: 10/590,539 Filed: May 30, 2007 (§371)

Page 18

85% identical to SEQ ID NO:4,

- b) an amino acid sequence which is at least 85% identical to SEQ ID NO:5,
- c) an amino acid sequence which is at least 85% identical to SEQ ID NO:48,
- d) an amino acid sequence which is at least 85% identical to SEQ ID NO:53,
- ii) a sequence of nucleotides which is at least 85%
 identical to SEQ ID NO:9, SEQ ID NO:10, or SEQ ID
 NO:12;
- iii) a sequence of nucleotides which is at least 85% identical to SEQ ID NO:11 or SEQ ID NO:13;
- iv) <u>a sequence of nucleotides which is at least 85%</u> identical to SEQ ID NO:50, or SEQ ID NO:51; and
- v) a sequence of nucleotides which is at least 85% identical to SEQ ID NO:55, or SEQ ID NO:56,

wherein the polynucleotide encodes a peptide exhibiting antifungal and/or antibacterial activity.